

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

October 29, 2014

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-4900122, issued to EQT PRODUCTION COMPANY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions,

please free to contact me at (304) 926-0499 ext. 1654.

Janies Main

Chief

Operator's Well No: 6147

Farm Name: BLAIR, A. L.

API Well Number: 47-4900122

Permit Type: Plugging

Date Issued: 10/29/2014

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

	18308
	\$100°0

Form WW-4 (B) [⊃]ermit Copy Rev 2/01)

September 4, 2014 Date: Operator's Well 606147 (A. L. Blair P-6147) Well No. API Well No.: 47 049 - 00122

			DIVISIO	STATE OF ON OF ENVIOLED	RONMEN	TAL PRO	TECTION		
		ADDLI	CATIO				ND ABANDON		
4)		APPLI	CATIO						
	Well Type: Oil		Gas _		iquid Injecti		Waste Disp	_	
	If Gas, Production	n	X	_Or Undergr	ound storag	ge	Deep	Shallow _	
5)			996 ft	_Watershed				- F-:	
	Location:	Grant		_County: _	Ma	arion	Quadrangle:	Fairmont W	est
6)	District:	EQT Prod	uction Co	ompany	7)	Designate	ed Agent: Rex	C. Ray	
٥,	Well Operator	120 Profes	ssional P	lace	_	Address:	120 Profession	al Place	
	Address:	Bridgeport	, WV 26	330	_		Bridgeport, WV	26330	
B)					9)		Contractor:	0	
	Oil & Gas Bill He				_	Name:	HydroCarbon Well PO BOX 995	Service	
	Name: 403 Ja Address: Manni	mes Stree				Addices.	Buckhannon, WV	26201	
_	/ tadicati	9							
	10) Work Order. The work order for the manner of plugging this well is as follows: See Attachment for details and procedures.								
_				OFF	ÇE USE ONL	Ÿ			
	Notification must				as inspecto		before permitted w	ork can commer	nce.

PLUGGING PROGNOSIS -Weston

Blair, A.L. et Vir 3 6147 (606147)

Marion, Co., West Virginia API # 47-049-00122 Dist. Grant

BY:

Craig Duckworth

DATE: 5/22/14

CURRENT STATUS:

10" csg @ 106' (cemented)

8 1/4" csg @ 1110' 6 5/8" csg @ 1473'

TD @ 1569'

Fresh Water @ 140'

Salt Water @ 1001'

1st Salt Sand @ 825'

Coal @ 70'to 76'

Gas Shows @ 1528'-1532' Big Injun

Oil Shows @ None reported Stimulation: None Reported

Elevation: 999'

- 1. Notify State Inspector, Bill Hendershot 304-206-7750, 24 hrs. Prior to commencing operations. GEL HOLE,
- 2. TIH w/ tbg @ 1569'; Set 100' C1A Cement Plug @ 1569' to 1469' (Gas Shows @ 1528'-1532'Big
- 3. TOOH w/ tbg, Free Point 6 5/8", cut 6 5/8" @ free point, TOOH w/ 6 5/8" csg
- 4. Set a 100' C1A Cement Plug 50' In/Out of cut. Perf all FW, Coal, Oil and Gas shows below 6 5/8" cut. Do not omit any plugs
- 5. TIH w/ tbg @ 1469'; Set 100' C1A Cement Plug @ 1469' to 1369'(6 5/8")
- TOOH w/ tbg @ 1369'; gel hole @ 1369' to 1160'
- 7. TOOH w/ tbg @ 1160'; Set 411' C1A Cement Plug @ 1160' to 749' (Gas Shows @1st Salt Sand 825'; Elevation @ 999'; 8 1/4" @ 1110')
- 8. TOOH w/ tbg @ 749'; gel hole @ 749' to 649'.
- 9. Free point 8 1/4". If unable to pull. Cut at free point
- 10. TIH w/ tbg @ 649'; Set 100' C1A Cement Plug @ 649' to 549'
- 11. Set a 100' C1A Cement Plug 50' In/Out of cut. Perf all FW, Coal, Oil and Gas shows below 8 1/4" cut. Do not omit any plugs
- 12. TIH w/ tbg @ 549' gel hole @ 549' to 200'.
- 13. TOOH w/ tbg @ 200'; Set 200' C1A Cement Plug @ 200' to Surface (10" csg @ 106' & Fresh Water @ 140'& Coal @70'-76')
- 14. Top off as needed
- 15. Set Monument to WV-DEP Specifications
- 16. Reclaim Location & Road to WV-DEP Specifications


RECEIVED Office of Oil and Gas

SEP 0 9 2014

WV Department of Environmental Protection

WEST VIRGINIA DEPARTMENT OF MINES CIL & GAS DIVISION WELLRECORD

Permit No. Mar 122 Fairmont Quad.	*		Gas Well CASING & TUTING
Company	Pittsburgh & M	. Va. Gas Company	
Address	Clarksburg, W.	Va.	Pipe -liner 48' 48'
Farm		Blair et vir Acres 474	10 106 106
Location	Fairmont N.W.		81 1110 1110
Well No.	6147 Elev. 9		6 5/8 1473 1473
District		on County Plair, R. D. #4, Wayensb	ura Pa-
Surface	Samo	Etkir, R. D. Hi, mayonso	, La.
Mineral	Aug. 23,1944		Casing comented
Commenced Completed	Oct. 17,1944		1 ze, 106 8-31-44
Open flow	21/10ths M in		233,1-24
Volume	348,000 C.F.	Conl	nt 70' 72"
Rock Pressure	490 lbs. 15 hr	rs.	
Fresh Water	140' 2 blrs. 1		
Salt Water	1001' H.F. 150	08 1 blr. hr.	
		CONTROL OF	
Clay Y S	0 16		
Wilue Mud Di S	16 50		
Slate Gr S	50 65		
Slate Bk S	65 70		
Pgh. Coal Dk S	70 78		
Slate Bk S	76 82		
Lime Gr H Slate Dk S	82 116 116 121		
	121 165		
Lime Dk H Slate-Shells Lt S-H	165 203		
Sand Lt S	203 230		
Slate-Shells Lt S	230 235		
Red Rock S	235 242		
Slate-Shells Lt S	242 271		
Red Rock S	271 275		
Lime Wh Close	275 295		
Slate & Shells Dk S&H	295 311		
Sand Wh H	311 350		
Slate Lt S	350 380 880 415		
Lime Wh H Slate R S	415 425		
Limo Wh H	425 450		
Slate & Shells Wh S-H	450 490		
Little Dunkard Wh H	490 510		
Slate-Shells Wh S-H	510 535		
Dig Dunkard Wh H	535 567		
Slate Bk S	567 592		
Sand Wh H	592 760		
Sand Shells Dk H-S	760 810		
Slate Bk S	810 825		
1st Salt Sand Wh H	825 876		
Slate Dk S lst Salt Sand Wh H	876 881 881 925		
Slate Sk S	925 980		
2nd Salt Sand Wh H	980 1087		
Slate Bk S	1087 1109		
Lime Dk H-S	1109 1114		
3rd Salt Sand Wh H	1114 1153		
Shale Br S	1153 1180		
Sand Lt S-F			
Red Rock-Lime R S-H			•
Lime Sholls Lt S-F			
Lime Wh H Slate & Shells Lt S-H	1369 1378 1 1378 1392		
Slate & Shells Lt S-F Blue Monday Gr H	1392 1418		
Pencil Cave Fk S	1418 1423	RECEIVE	D
Dig Limo Wh H	1423 1496	HEUEIVE	-d Gas
Big Injun Sand Wh H	1496 1511	Office of Oil ar	IU Clas
Limo Wh H	1511 1514		
Big Injun Sand Wh H	1514 1517	Gns 1528-1532 41/10	(er 1 1/2" Opng.
Big Injun Sand Gr H	1517	2EL 0 9 51	0.1.1
TOTAL DEPTH	1569	Fig. 1	ant of
		. WV Departn	nent of
		Environmental	Protection
		EUAHOHITIGHTS	



Company PITTSBURGH E. W.V. GAS CO. Address CLARKSBURG, W.Va. FARM ANTIONETTE L. BLAIR ET VIR Acres 474 Lease No. 2375/ Well (Farm) No. THREE Serial No. 6/47 Elevation (Spirit Level) 999' V.A. Quadrangle FAIRMONT N. W. 13 County MARION Engineer IS Matthe Engineer's Registration No. _ File No V-128, F-100, Drawing No. _ Date MAR. 29, 1944 Scale 1 = 1000

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES OIL AND GAS DIVISION

CHARLESTON Office of MAR-132

+ Denote Post of Well on United States Topographic Maps, scale 1 to 62,500, lattude and longitude lines being represented by being mer as shown.

En Denotes one inch spaces on border line.

of original tracing.

WW-4-A	
Revised 6/07	

1)	Date:	S	eptembe	er 4	1, 2014	
2)	Operator's Wel 606147 (A. L. I					
3)	API Well No.:	47	049	-	00122	
		State	County		Permit	

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT
DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS
NOTICE AND APPLICATION TO PLUG AND ABANDON WELL

4)	Surface Owner(s	s) to be served:	5) (a) Coa	l Operator:
11570	(a) Name	Green Hills Country Club, Inc	Name	None
	Address	P. O. Box 9030	Address	
		Fairmont, WV 26555		
	(b) Name		(b) Coal Ov	wner(s) with Declaration
	Address		Name	Consolidation Coal Co.
				1000 Consol Energy Dr.
			Address	Cannonsburg, PA 15317-6506
				Attn: Ryan Arp
	(c) Name		Name	
	Address		Address	
6)	Inspector	Bill Hendershot	(c) Coal Le	essee with Declaration
	Address	403 James Street	Name	None
		Mannington, WV 26582	Address	
	Telephone	(304) 206-7750		

TO THE PERSONS NAMED ABOVE:

You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Division of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

NOTARY PUBLIC Well Operator: **EQT Production Company** Misty S Christiey: \$ Victoria J.Roark Permitting Supervisor 1207 Briercliff Rd Bridgeport, WV 26330 Address: PO Box 280 My Commission Expires February 20, 2018\$ Bridgeport, WV 26330 (304) 848-0076 Telephone: day of Subscribed and sworn before me this Notary P of Oil and Gas My Commission Expires:

The Office of Oil & Gas processes your personal information, such as name, address and phone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@ww.gov.

Environmental Protection

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse	A. Signature X	
so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits.	B. Received by (Printed Name) C. Date of Delivery	
Article Addressed to: Consolidation Coal Co.	D. Is delivery address different from Item 1? Yes If YES, enter delivery address below: No	
Attn: Ryan Arp		
Attn: Ryan Arp 1000 Consol Energy Drive Cannonsburg, PA 15317-6506	3. Septice Type Certified Mail	
1000 Consol Energy Drive Cannonsburg, PA 15317-6506	☐ Certified Mall ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise	

C/O Vicki Roark
P.O. Box 280
Bridgeport, WV 26330



RECEIVED
Office of Oil and Gas

SEP 0 9 2014

WV Department of Environmental Protection



\$07.40

Bridgeport, WV 26330	P.O. Box 280	C/O Vicki Roark	T	

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse	A Signature ☐ Agent X ☐ Addressee
so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits.	B. Received by (Printed Name) C. Date of Delivery D. is delivery address different from item 1?
Green Hills Country Club, Inc. P. O. Box 9030 Fairmont, WV 26555	If YES, enter delivery address below:
Plug 664147	3. Service Type Certified Mail
2. Article Number 7013	2630 0001 7366 1734
PS Form 3811, February 2004 Domestic	Return Receipt 102595-02-M-154

see Reverse for Institutions	9007 Island near mod Sd		
luc.	Green Hills Country Club, P. O. Box 9030 our Fairmont, WV 26555 or or present the country Club,	E92 ETOL	E92 ETOL
Assumpted on 94	Postato Cestined Fee Returnent Receipt Fee (Endorsement Required) Pestricied Delivery Fee (Endorsement Required)	0 0001 736	D 0001 736
умегаде Ртоунаев)	U.S. Postal Service: CERTIFIED MAIL: (Domestic Mail Only; No Insurance Co	F 1734	HE2T 9

RECEIVED
Office of Oil and Gas

SEP 0 9 2014

WV Department of Environmental Protection



Mr. Bill Hendershot 403 James Street Mannington, WV 26582

RECEIVED
Office of Oil and Gas

SEP 0 9 2014

WV Department of Environmental Protection

neopost/ 09/04/2014 US47/0/S114/6E

\$01.61

WW-9 Revised 2/03

Page	of			
2) Opera	tor's We	ll Nu	mber	
606147 (A. L. BI	air P	-6147)	
3) API W	ell No.:	47	049 -	00122

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL & GAS
CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM
GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name:	EQT PRODU	CTION COMPANY	1	OP ID:	
Watershed:	1	West Fork River		Quadrangle:	Fairmont West
Elevation:	996 ft	County:	Marion	District:	Grant
Description of antic	cipated Pit Wast	e:		Formation Fluids	3
Do you anticipate เ Will synthetic liner			r to complete th	ne proposed well wor nat ml.?	k? Yes No_X_ 10-ml 20 A1
Proposed Disposa X Drilling medium an	Land App Undergro Reuse (al Offsite Di Other: Ex	lication und Injection - UIC API Number) sposal Permit #.		_	
If oil ba Additives to be use		Synthetic, petrole	um, etc.		
I certify that I un issued on August understand that the permit and/or other I certify under pen application form a responsible for ob-	nderstand and a 1, 2005, by the e provisions of the er applicable law alty of law that I and all attachmentaining the infor-	gree to the terms a Office of Oil and Ga he permit are enfor or regulation can le have personally ex hts thereto and that mation. I believe th	and conditions of as of the West varceable by law. ead to enforcer camined and ar based on my	of the GENERAL WA Virginia Division of E Violations of any tent nent action. In familiar with the information of those indivious individual of the securate as	and complete. I am aware that
	nt penalties for a	-	ormation, includ	ing the possibility of	fine or imprisonment.
Company Off	icial (Typed or	Printed) Vict	oria Roark		
Company Off	icial Title	Permit	ting Superviso	r-WV	RECEIVED
Subscribed an	d sworn before	me this 4th	day of _	September	Office of OiP914d Gas
My Commissio	The state of the s	OFFICIAL SEAL STATE OF WEST VIRG NOTARY PUBLIC Misty S Christ 1207 Briercliff Rd Bridgeport, WV 26330	ie w	E	WV Department of Environmental Protection

OPERATOR'S WELL NO.: 606147 (A. L. Blair P-6147)

LEGEND

		Spring	Wet Spot	
Road		○	~ 6 ~	
Planned Fence		with size in inches	Water Wa	у
///		- 12	€→ (−	→
Existing Fence	Stre	am	Cross Drain	
Open Ditch		al Filter Strip	Rock SSSSSS	
North	Building	Water well	Drill site	
N		(W)	⊕	
	Dit with Car	npacted Walls Are	ea of Land Application	of Pit Wast
Pit with Cut Walls Section 1 Control Control	<u> </u>	<u></u>	tation pH	5.8
osed Revegetation Treatime3To	ment: Acres Disturbed: ons/acre or to correct	1± Prevege to pH 6.5 1/3 ton	tation pH	
osed Revegetation Treat	ment: Acres Disturbed: ons/acre or to correct equivalent ons/acre or hydroseed	1± Prevege to pH 6.5 1/3 ton	tation pH	
osed Revegetation Treatime3To	ment: Acres Disturbed: ons/acre or to correct	1± Prevege to pH 6.5 1/3 ton	tation pH	
osed Revegetation Treatime3To	ment: Acres Disturbed: ons/acre or to correct equivalent ons/acre or hydroseed	1± Prevege to pH 6.5 1/3 ton	tation pH bs/acre (500)	
osed Revegetation Treation ime 3 To rentifizer (10-20-20) or expected to the second	ment: Acres Disturbed: ons/acre or to correct equivalent ons/acre or hydroseed SEED MIXT	1± Prevege to pH 6.5 1/3 ton 1. URES	tation pH bs/acre (500)	ibs minimun ibs/acre
osed Revegetation Treation ime 3 To ertilizer (10-20-20) or entitizer (10-20-20) Area i Seed Type led Fescue lisike Clover	ment: Acres Disturbed: ons/acre or to correct equivalent ons/acre or hydroseed SEED MIXT Ibs/acre 40 5	1± Prevege to pH 6.5 1/3 ton 1. URES Seed Ty	tation pH bs/acre (500)	lbs minimun lbs/acre
osed Revegetation Treation ime 3 To ertilizer (10-20-20) or elulch 2 To Area i Seed Type led Fescue Isike Clover	ment: Acres Disturbed: ons/acre or to correct dequivalent ons/acre or hydroseed SEED MIXT Ibs/acre	1± Prevege to pH 6.5 1/3 ton 1. URES Seed Ty	tation pH bs/acre (500)	ibs minimun ibs/acre
osed Revegetation Treation ime3To rertilizer (10-20-20) or end fulch2To Area i Seed Type led Fescue slike Clover annual Rye	ment: Acres Disturbed: ons/acre or to correct dequivalent ons/acre or hydroseed SEED MIXT Ibs/acre 40 5 15	1± Prevege to pH 6.5 1/3 ton 1. URES Red Fescue Alsike Clover	tation pH bs/acre (500)	ibs minimun ibs/acre
osed Revegetation Treation ime 3 To ertilizer (10-20-20) or entitizer (10-20-20) Area i Seed Type led Fescue lisike Clover	ment: Acres Disturbed: ons/acre or to correct equivalent ons/acre or hydroseed SEED MIXT Ibs/acre 40 5 15 on, pit and proposed area rolved 7.5' topographic s	1± Prevege to pH 6.5 1/3 ton 1. URES Seed Ty Red Fescue Alsike Clover	tation pH bs/acre (500)	ibs minimun ibs/acre

Topo Quad:_	Fairmont West 7.5'	Scale:	1 " = 2000'	
County:	Marion	Date:	June 6, 2014	
District:	Grant	Project No:_	74-18-00-08	
	47-049-00122 WV 606	147 (A. L		Topo
Helens Run	Companies Compan	Moderation	un Salvario	
	Former Mirrica	Wahoo Wahoo	Cem WEST	
	BBB 2 1026 1026 1026 1026 1026 1026 1026 10	Cerri Mine Dump		
hington	RALEROAD GRADE	100		
	ew Byo Everson	YELEPHONE	8	
			400	
efton	90° Former Mine	7 47-049-0012 WV 606147		800 No.
Middletown	8)432 Mi	inley		
420	Highland 924		3	
N T	Coons Run.		G R A N	T
1400		(a)	F NAD 27,	North Zone
MAR	S. Quadrangle 7.5. Quadrangle Run 600	Former Mune	RECEISED, S Office of Silvars 22 WGS 84	
	Gas W.A. EM Killarm		WY DEPEKTO	443887 80.234238 95.91 rotection
LEGHEN.	ALLEGHENY SURVEY	**************************************	EQT Production	
TO VEY S	1-800-482-8606 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608		P.O. Box 280 Bridgeport, WV 26	3330



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API:47-049-00122	O.: WV 606147 (A. L. Blair P-6147)
FARM NAME: A. L. Blair	
RESPONSIBLE PARTY NAME:EQT	Production Company .
COUNTY: Marion	_ DISTRICT: Grant 2
QUADRANGLE: Fairmont West 7.5'	343
SURFACE OWNER: Green Hills Country	ry Club, Inc.
ROYALTY OWNER:Antoinette L. and	John L. Blair, et al.
UTM GPS NORTHING: 4366317	- -
UTM GPS EASTING: 565893	_ GPS ELEVATION: 303 m (996 ft) .
above well. The Office of Oil and Gas will a the following requirements:	gging permit or assigned API number on the not accept GPS coordinates that do not meet orth, Coordinate Units: meters, Altitude: SL) – meters. I Differential Ssed Differential Differential phy map showing the well location. Is correct to the best of my knowledge and

Topo Quad:_	Fairmont West 7.5'	Scale:	1 " = 2000'
County:	Marion	Date:	June 6, 2014
District:	Grant	_ Project No:_	74-18-00-08
Water	47-049-00122 WV 60	6147 (A. L	Blair P-6147)
Helens Run	1 potential water w	NY DEN DE	
1,200	Former (Mines	Wahr Cern	Cem WEST
hington	Formel Wife Brade Wife	Mine Dump	
OHIO .	BM B90 GROOM BROOM B90 GROOM B90 GROOM BROOM BRO	YELERHONE.	
afton	Former Mine	47-04 WV 6	9-00122 506147
Middletowr		Manley	1918 1918
N T	Coons Run.		G R A N T
other white	ston 7.5: Quadrangle CWest 7.5: Quadrangle	Former Moe	WGS 84 LAT: 39.443887
	Gas W. H. Killarm Gas W. H. 1970		WV Dan LONG: 80.234238 ENVIRONMENTELEV: 995.91
SECTIVE YOU	SURVEYING AND MAPPING SERVICES PERFOR ALLEGHENY SURVE 1-800-482-8606 237 Birch River Road Birch River, WV 26610 PH: (304) 649-8606 FAX: (304) 649-8608	RMED BY:	EQT Production Company P.O. Box 280 Bridgeport, WV 26330



POTENTIAL WATER SAMPLE DATA SHEET

CLIENT: EQT PRODUCTION COMPANY						
LEASE NAM	E AND WELL No.	A. L. Blair	P-6147 WV	606147 (47-0	049-00122)	

The initial mapping review of the area surrounding the proposed well site revealed the below listed surface owner(s) that were potentially utilizing groundwater (potable) for Human Consumption or other purposes within 1000' of the existing well site. The following landowners will be notified of the opportunity to request a water sample.

*Please note that the following information is subject to change upon field inspection.

POTENTIAL SAMPLE LOCATIONS

Site: 1 Spacing: 920' +/- Owner: Green Hills Country Club, Inc.

Phone No. 304.287.7439. Address: P.O. Box 9030, Fairmont, WV 26555

Comments:

RECEIVED Office of Oil and Gas

SEP 0 \$ 2014

WV Department of

BIRCH RIVER OFFICE 237 Birch River Road Birch River, WV 26610

phone: 304-649-8606 fax: 304-649-8608

BRIDGEPORT OFFICE

172 Thompson Drive Bridgeport, WV 26330 phone: 304-848-5035 fax: 304-848-5037

212 Cumberland Street Caldwell, OH 43724 phone: 740-305-5007 fax: 740-305-5126

CALDWELL OFF FERVIRONMENTAL PROTECTIONS P.O. Box 108 • 1413 Childress Road Alum Creek, WV 25003 phone: 304-756-2949 fax: 304-756-2948

W W . A L L E G H E N Y S U R V E Y S . C O M